




Harmony of nature and technology in every step.

## FLOOREO IS A PLACE WHERE EUROPEAN QUALITY AND CENTURIES—OLD TRADITIONS IN THE PRODUCTION OF FLOOR COVERINGS MEET.

The Flooreo factory is a new innovative enterprise that combines European experience and centuries—old traditions in the production of floor coverings. It is located in Georgia, a country of amazing culture and impressive landscapes. Our factory is a perfect fusion of nature and innovation. We are proud to be able to present you products that meet high standards, while maintaining the unique innovative technologies that make our floor coverings available to embody any design idea.

















CHEGET

**CHOGORI** 

**ELBRUS** 

**EVEREST** 











FUJI

**ISLAND PEAK** 

**JANGITAU** 

KAZBEK












LOGAN MATTERHORN

MONT BLANC

**MONTE ROSA** 







### **SPECIFICATIONS:**

Plank size

Wear resistance

Type

Click system

Surface

V-groove

Eco class

Finish

Water Resistance

Planks in a package

One package

694 x 132 x 12 mm

AC5/33

Herringbone

Universal lock (A-A)

Real wood

4V

E0

B2

yes

 $12 \text{ pcs.} - 1.1 \text{ m}^2 / 12,1 \text{ kg.}$ 

72 packs.  $/79.2 \text{ m}^2 / 901 \text{ kg}$ .

Waxed end joints























HERRINGBONE

10 мм.

According to FLOOREO factory forecasts, there will be an increased demand for decors of a selective wood species in the next 5 years.















ANGEL

BAKO

BIISI

BLANCHE












### **SPECIFICATIONS:**





Plank size
Wear resistance
Type
Click system
Surface
V-groove
Eco class
Finish
Water Resistance
Planks in a package
One package

694 x 132 x 10 mm

AC5/33

Herringbone

Universal lock (A-A)

Real wood

4V

EO

B2

Yes

15 pcs. - 1,374 m<sup>2</sup> / 12,7 kg.

72 packs.  $/98,928 \, \text{m}^2 / 945 \, \text{kg}$ .

Waxed end joints



































BENI



**MISSOURI** 



LIARD











KONGO

ZAMBEZI

NILE

**MEKONG** 









TIGER









### **SPECIFICATIONS:**

Plank size

Wear resistance

Type

Click system

Surface

V-groove

Eco class

Finish

Water Resistance

Planks in a package

One package

1390 x 132 x 10 mm

AC5/33

Shipdeck

Push-click

Real wood

4V

EO

B2

yes

10 pcs. - 1.835 m<sup>2</sup> / 16,72 kg.

50 packs. / 91,75 m<sup>2</sup> / 865 kg.

























### **CLICK**

Installation of FLOOREO laminate does not require A and B type boards, as it is manufactured exclusively with a universal A–A locking system. This ensures a strong connection and reduces installation time by up to 50% (applies to the PEAKS and WATERFALLS collections). The RIVERS collection features the SMART-Click locking system. Assembly is extremely simple and requires only downward pressure from the top. No additional longitudinal tapping is needed.



### WATER-RESISTANCE SURFACE

Water resistance is provided by the increased density of the HDF board, the unique joining of the boards and the waterproof coating of Fask



### E 0

Our laminate has a formaldehyde emission class of E 0, which guarantees the exclusion of harmful substances and ensures maximum protection of your family's health.

